

Schedule

This schedule supports the Product Certification Certificate for

Linyi Senhao Wood Industry

ABN

Not Applicable

Head Office Address

Zhoujingpu Industrial Park,
Yitang Town,
Lanshan District,
Linyi City,
Shandong, China

Holds Certificate Number

BMP 713299

Standard

AS/NZS 4357.0:2005 (R2016) Structural laminated veneer lumber Specifications

Issue date

11/08/2022

Model	BSI Review Date	Description
95 x 45 LVL F14	31/07/2019	Laminated Veneer Lumber for General Structural Use 95 x 45 Mixed Species Laminated Veneer Lumber Edge: E 12530 MPa, f'b 59 MPa, f's 4.8 MPa, f'p 7.0 Flat: E 14371 MPa, f'b 64 MPa, f's 4.4 MPa, f'p 3.7 f't 40.2 MPa, f'c 36.8 MPa F14 on edge F17 on Flat, A-Bond E ₀
95 x 35 LVL F14	31/07/2019	Laminated Veneer Lumber for General Structural Use 95 x 35 Mixed Species Laminated Veneer Lumber Edge: E 12530 MPa, f'b 59 MPa, f's 4.8 MPa, f'p 7.0 Flat: E 14371 MPa, f'b 64 MPa, f's 4.4 MPa, f'p 3.7 f't 40.2 MPa, f'c 36.8 MPa F14 on edge F17 on Flat, A-Bond E ₀
95 x 65 LVL F17	31/07/2019	Laminated Veneer Lumber for General Beams used on edge only 95 x 65 Larch Laminated Veneer Lumber E 14561 MPa, f'b 63 MPa, f's 5.2 MPa, f'p 7.6 F17 A-Bond E ₀
150 x 77 LVL F14	31/07/2019	Laminated Veneer Lumber for General Beams used on edge only 150 x 77 Larch Laminated Veneer Lumber E 12878 MPa, f'b 57 MPa, f's 4.8 MPa, f'p 9.5 F14 A-Bond E ₀

BMP 713299
11/08/2022 Page 2 of 3



...making excellence a habit.