

Thermally Modified Timber Profiles



Thermory's thermally stabilised timbers offer a range of natural or pre-finished, ready to install, cladding and lining solutions. Featuring spruce and pine ranges that are responsibly sourced from sustainably grown plantation timbers. These timbers are thermally modified using heat and steam, to produce a durable, high performing product range that carries a Class 1 or Class 2 durability rating to perform for decades in Australian conditions.

Thermory modifies the timber for increased durability and dimensional stability in a range of natural and prefinished, ready to install exterior cladding and interior lining solutions.

Pine Cladding Intense: Natural Trax



This Thermory® cladding and lining profile is designed specifically for the Australian market and available exclusively through City Timber. Featuring Thermory's hidden fixing system and end matching for fast installation, the Trax design features a contemporary, linear ribbed profile, plus the benefits of a thermally stabilised timber. With increased dimensional stability and durability, the Trax profile is designed to perform in Australian conditions.

Texture

Spruce

Grade

Class 1 Durability. Thermally Stabilised Timber.

Colour

Golden tones


Board Lengths

4200, 4500, 4800, 5100 and 5400mm

Size (mm)


140 x 19.70

Trax Profile:



C32G: 140 x 19.70 / cover: 123mm

Corner thermo - spruce CP3



One universal profile for indoor and outdoor usage. Boards with straight-cut ends can be installed without exposing the endgrain.









Stability Enhanced dimensional stability



Call 1300 399 922 or email info@citytimber.com.au 1400 Centre Rd, Clayton South 3169 citytimber.com.au



