



Thermory's thermally stabilised timbers offer a range of natural or pre-finished, ready to install, cladding and lining solutions. Featuring spruce and pine ranges that are responsibly sourced from sustainably grown plantation timbers. These timbers are thermally modified using heat and steam, to produce a durable, high performing product range that carries a Class 1 durability rating to perform for decades in Australian conditions.

Thermory modifies the timber for increased durability and dimensional stability in a range of natural and prefinished, ready to install exterior cladding and interior lining solutions.

## Spruce Cladding Intense: Drift Black Pearl C26



Thermory® timber cladding and lining in a Drift finish offers the rustic look of reclaimed timber, with the performance of a thermally modified timber product. Ideal for a weathered or country design aesthetic, Black Pearl offers a gently worn grey timber tone. Sourced from sustainably managed plantations, the Drift range delivers exceptional durability and dimensional stability to meet the demands of Australian conditions.

### Texture

Brushed

### Grade

Class 1 Durability  
Thermally Stabilised Timber

### Colour

Soft Grey tones


### Species

Spruce

### Size (mm)


186 x 19

### C26 Profile:



■ C26: 186 x 19 / cover: 169mm

### Corner Thermo - Spruce CP3



■ 42x42

One universal profile for indoor and outdoor usage. Boards with straight-cut ends can be installed without exposing the endgrain.



CLASS 1



**Durability**  
Improved Durability and rot resistance



**Stability**  
Enhanced dimensional stability in changing weather conditions



**Chemical-Free**  
Thermal modification process is entirely natural

Call 1300 399 922  
or email [info@citytimber.com.au](mailto:info@citytimber.com.au)

1400 Centre Rd, Clayton South 3169  
[citytimber.com.au](http://citytimber.com.au)

